

## **RubyScript2Exe - Distributions**

# Table of Contents

<b>RubyScript2Exe.....</b>	<b>1</b>
Distributions.....	1
<b>1. Distributions.....</b>	<b>2</b>
1.1. Cygwin.....	2
1.2. RubyInstaller.....	2
1.3. MinGW.....	2
1.4. MSWin32.....	3
1.5. Linux, Ruby 1.6.7.....	3
1.6. Linux, Ruby 1.8.2.....	3

# RubyScript2Exe

## Distributions

Fri Oct 06 19:40:02 UTC 2006

Erik Veenstra <[rubyscript2exe@erikveen.dds.nl](mailto:rubyscript2exe@erikveen.dds.nl)>

# 1. Distributions

The test application on this page is:

```
puts "Hello World!"
```

## 1.1. Cygwin

```
d bin
f bin\cygruby18.dll (687616)
f bin\cygwin1.dll (1140617)
f bin\ruby.exe (626861)
f bin\rubyw.exe (626861)
d lib
f lib\ftools.rb (3418)
f lib\rbconfig.rb (5946)
f eee.rb (143)
d app
f app\app.rb (20)
c %tempdir%\bin\ruby.exe -r %tempdir%\eee.rb %tempdir%\app\app.rb %quotedparms%
```

## 1.2. RubyInstaller

```
d bin
f bin\MSVCR71.dll (348160)
f bin\msvcrt-ruby18.dll (782336)
f bin\ruby.exe (4608)
f bin\rubyw.exe (4608)
d lib
f lib\ftools.rb (3418)
f lib\rbconfig.rb (5529)
f eee.rb (78)
d app
f app\app.rb (20)
c %tempdir%\bin\ruby.exe -r %tempdir%\eee.rb %tempdir%\app\app.rb %quotedparms%
```

## 1.3. MinGW

```
d bin
f bin\msvcrt-ruby18.dll (592896)
f bin\ruby.exe (6144)
f bin\rubyw.exe (6144)
d lib
f lib\ftools.rb (3418)
f lib\rbconfig.rb (6430)
f eee.rb (78)
d app
f app\app.rb (20)
c %tempdir%\bin\ruby.exe -r %tempdir%\eee.rb %tempdir%\app\app.rb %quotedparms%
```

## 1. Distributions

### 1.4. MSWin32

```
d bin
f bin\msvcrt-ruby18.dll (812953)
f bin\ruby.exe (4464)
f bin\rubyw.exe (4977)
d lib
f lib\ftools.rb (3418)
f lib\rbconfig.rb (5470)
f eee.rb (78)
d app
f app\app.rb (20)
c %tempdir%\bin\ruby.exe -r %tempdir%\eee.rb %tempdir%\app\app.rb %quotedparms%
```

### 1.5. Linux, Ruby 1.6.7

```
d bin
f bin/libruby.so.1.6 (581036)
f bin/ld-linux.so.2 (79864)
f bin/ruby (3360)
d lib
f lib/ftools.rb (3576)
f lib/rbconfig.rb (5144)
f eee.sh (148)
f eee.rb (75)
d app
f app/app.rb (20)
c source %tempdir%/eee.sh %tempdir% %tempdir%/bin/ruby -r %tempdir%/eee.rb \
    %tempdir%/app/app.rb %quotedparms%
```

### 1.6. Linux, Ruby 1.8.2

```
d bin
f bin/ld-linux.so.2 (79864)
f bin/ruby (602068)
d lib
f lib/ftools.rb (6198)
f lib/rbconfig.rb (5680)
f eee.sh (148)
f eee.rb (75)
d app
f app/app.rb (20)
c source %tempdir%/eee.sh %tempdir% %tempdir%/bin/ruby -r %tempdir%/eee.rb \
    %tempdir%/app/app.rb %quotedparms%
```