

RubyScript2Exe - Change Log

Table of Contents

RubyScript2Exe.....	1
Change Log.....	1
1. Change Log.....	2

RubyScript2Exe

Change Log

Tue May 29 20:11:55 UTC 2007
Erik Veenstra <rubyscript2exe@erikveen.dds.nl>

1. Change Log

(Don't "save link target as..", since that will only give you an HTML file.)

Version	Date	Download	Diff	Changes
0.5.3	29.05.2007	rubyscript2exe-0.5.3.rb or rubyscript2exe-0.5.3.tar.gz or rubyscript2exe-0.5.3.gem	0.5.3.diff	Added a bit of Config::CONFIG magic to make RubyScript2Exe work with RubyGems >= 0.9.3. Moved the embedded bin directory to the front of \$PATH.
0.5.2	15.04.2007	rubyscript2exe-0.5.2.rb or rubyscript2exe-0.5.2.tar.gz or rubyscript2exe-0.5.2.gem	0.5.2.diff	Fixed a bug when using the gem as library. Fixed a bug concerning RUBYSRIPT2EXE.userdir(file) (as well as RUBYSRIPT2EXE.appdir(file)) and full pathnames. Replaced %TEMP% by %HOME%/eee, or %USERPROFILE%/eee, or %TEMP%/eee, or c:/eee (on Windows). Replaced /tmp by \$HOME/.eee, or /tmp/.eee (on Linux/Darwin). This is to avoid "Insecure world writable dir". Introduced RUBYSRIPT2EXE.exedir and RUBYSRIPT2EXE.executable.
0.5.1	06.08.2006	rubyscript2exe-0.5.1.rb or rubyscript2exe-0.5.1.tar.gz or rubyscript2exe-0.5.1.gem	0.5.1.diff	Fixed a bug when using the <i>big</i> rubyscript2exe.rb (the RBA) as library. Fixed a bug in RUBYSRIPT2EXE.appdir. Added RUBYSRIPT2EXE.userdir. Added RUBYSRIPT2EXE.rubyw=. Added RUBYSRIPT2EXE.strip=. Added RUBYSRIPT2EXE.appdir and RUBYSRIPT2EXE.appdir("bin") to ENV["PATH"]. Added RUBYSRIPT2EXE.appdir and RUBYSRIPT2EXE.appdir("lib") to \$:.
0.5.0	29.07.2006	rubyscript2exe-0.5.0.rb or rubyscript2exe-0.5.0.tar.gz or rubyscript2exe-0.5.0.gem	0.5.0.diff	Added support for directories. Introduced require "rubyscript2exe.rb". Added a check for readability in EEE. Replaced RUBYSRIPT2EXE_* by RUBYSRIPT.*= and RUBYSRIPT2EXE::* (see application.rb).

1. Change Log

				Added RUBYSRIPT2EXE.appdir(<i>item</i>) and RUBYSRIPT2EXE.is_compil*?. <i>If you already used RubyScript2Exe before, please reread this section, since it isn't 100% backwards compatible.</i>
0.4.4	28.06.2006	rubyscript2exe-0.4.4.rb or rubyscript2exe-0.4.4.tar.gz or rubyscript2exe-0.4.4.gem	0.4.4.diff	Fixed a bug concerning ENV.delete(key).
0.4.3	27.06.2006	rubyscript2exe-0.4.3.rb or rubyscript2exe-0.4.3.tar.gz or rubyscript2exe-0.4.3.gem	0.4.3.diff	Enhanced the support for RubyGems, again... I now use the real RubyGems, instead of a fake one.
0.4.2	08.03.2006	rubyscript2exe-0.4.2.rb or rubyscript2exe-0.4.2.tar.gz or rubyscript2exe-0.4.2.gem	0.4.2.diff	Got rid of warning Insecure world writable dir. Fixed a bug concerning parameters with quotes and other escapable characters. Fixed a bug concerning Too many open files. Fixed a bug concerning spaced parameters on Linux and Darwin. More DLL's are found and embedded. AllInOneRuby and RubyScript2Exe now work together.
0.4.1	03.12.2005	rubyscript2exe-0.4.1.rb or rubyscript2exe-0.4.1.tar.gz or rubyscript2exe-0.4.1.gem	0.4.1.diff	Fixed a bug concerning multi line parameters.
0.4.0	06.08.2005	rubyscript2exe-0.4.0.rb or rubyscript2exe-0.4.0.tar.gz or rubyscript2exe-0.4.0.gem	0.4.0.diff	Added better error detection and error reporting in EEE. Added --eee-info. Added RUBYSRIPT2EXE_TEMPDIR. Fixed a bug concerning the variable command which wasn't "declared" in one specific situation. Went back to FPC 1.9.8 (from 2.0.0) on Linux, because of some access violations. Updated to FPC 1.9.8 (from 1.9.5) on Darwin.
0.3.6	14.06.2005	rubyscript2exe-0.3.6.rb or rubyscript2exe-0.3.6.tar.gz or rubyscript2exe-0.3.6.gem	0.3.6.diff	Fixed a bug concerning spaces in %TEMP%.
0.3.5	03.06.2005		0.3.5.diff	

1. Change Log

		rubyscript2exe-0.3.5.rb <i>or</i> rubyscript2exe-0.3.5.tar.gz <i>or</i> rubyscript2exe-0.3.5.gem		Updated to FreePascal 1.9.8 on Windows, 2.0.0 on Linux and 1.9.5 on Darwin. The exit code of your script is returned to the calling application/shell. Made some information about the environment <code>EEE</code> sets up available to the application, e.g. executable name.
0.3.4	21.05.2005	rubyscript2exe-0.3.4.rb <i>or</i> rubyscript2exe-0.3.4.tar.gz <i>or</i> rubyscript2exe-0.3.4.gem	0.3.4.diff	Added <code>--rubyscript2exe-tk</code> (experimental). Added a check for the existence of <code>Config::CONFIG["bindir"]</code> (RubyScript2Exe doesn't work without it...). Fixed a bug concerning program arguments with spaces on Linux/Darwin (was OK on Windows). Added <code>\$stdin</code> handling on Linux/Darwin (was OK on Windows). Made all files in <code>RUBYSRIPT2EXE_BIN</code> available via <code>ENV["PATH"]</code> . Added a search for <code>EEE</code> .
0.3.3	23.03.2005	rubyscript2exe-0.3.3.rb <i>or</i> rubyscript2exe-0.3.3.tar.gz <i>or</i> rubyscript2exe-0.3.3.gem	0.3.3.diff	<code>newlocation</code> is an absolute path. <code>ENV["TEMP"]</code> is an absolute path. Added <code>REQUIRE2LIB</code> . Added <code>RUBYSRIPT2EXE</code> . Added <code>--rubyscript2exe-nostrip</code> . Added <code>RUBYSRIPT2EXE_BIN</code> . Added <code>RUBYSRIPT2EXE_LIB</code> . Fixed the non-SH-compatible shell (e.g. TCSH) bug. Changed the name of the generated executable on Linux from <code>application.bin</code> to <code>application_linux</code> . Added (experimental) support for Mac OS X (Darwin).
0.3.2	18.01.2005	rubyscript2exe-0.3.2.rb <i>or</i> rubyscript2exe-0.3.2.tar.gz	0.3.2.diff	Updated to FreePascal 1.9.6 . Added <code>--rubyscript2exe-verbose</code> and <code>--rubyscript2exe-quiet</code> . Fixed a bug concerning <code>ENV["RUBYOPT"]</code> on the machine of the customer. Fixed a bug concerning spaces in the path to <code>ruby.exe</code> (e.g. <code>C:\Program Files\ruby\ruby.exe</code>). Fixed a bug concerning read-only files.

1. Change Log

0.3.1	13.01.2005	rubyscript2exe-0.3.1.rb or rubyscript2exe-0.3.1.tar.gz	0.3.1.diff	Enhanced the support for RubyGems. (Not yet considered stable.) Added support for <code>.dll</code> extensions and <code>.o</code> extensions. Added <code>RUBYSRIPT2EXE_DLLS</code> . Fixed a bug concerning backslashes in the tracing part.
0.3.0	27.12.2004	rubyscript2exe-0.3.0.rb or rubyscript2exe-0.3.0.tar.gz	0.3.0.diff	Added compression. Fixed the broken call to ResHacker. Fixed a bug concerning <code>--eee-list</code> in combination with <code>rubyw</code> .
0.2.1	18.12.2004	rubyscript2exe-0.2.1.rb or rubyscript2exe-0.2.1.tar.gz	0.2.1.diff	Added (experimental) support for detecting and embedding Ruby gems. Added <code>--eee-list</code> .
0.2.0	08.12.2004	rubyscript2exe-0.2.0.rb or rubyscript2exe-0.2.0.tar.gz	0.2.0.diff	Added support for Linux. Added handling of load-ed files, besides require-d files.
0.1.21	04.08.2004	rubyscript2exe-0.1.21.rb or rubyscript2exe-0.1.21.tar.gz	0.1.21.diff	Corrected a bug concerning the length of the command line (again...) Added the handling of <code>dll</code> 's, needed by the <code>so</code> 's. Corrected the copying of the resulting <code>exe</code> when using the <code>tar.gz</code> download.
0.1.20	30.07.2004	rubyscript2exe-0.1.20.rb or rubyscript2exe-0.1.20.tar.gz	0.1.20.diff	Added support for Cygwin (Big executables!). Corrected the handling of <code>-I</code> (load-path).
0.1.19	26.07.2004	rubyscript2exe-0.1.19.rb or rubyscript2exe-0.1.19.tar.gz	0.1.19.diff	Rewrite of <code>EEE</code> . Added recursion to <code>EEE</code> , so <code>tar.exe</code> can be thrown away. <code>msvcr71.dll</code> is always added (if it exists). Microsoft tells us to do so. This makes <code>--rubyscript2exe-msvcr71</code> useless.
0.1.18	27.06.2004	rubyscript2exe-0.1.18.rb or rubyscript2exe-0.1.18.tar.gz	0.1.18.diff	Added <code>application.ico</code> .
0.1.17	23.06.2004	rubyscript2exe-0.1.17.rb or rubyscript2exe-0.1.17.tar.gz	0.1.17.diff	Added the icon.
0.1.16	11.06.2004	rubyscript2exe-0.1.16.rb or rubyscript2exe-0.1.16.tar.gz	0.1.16.diff	Packed both <code>ruby.exe</code> and <code>rubyw.exe</code> for debugging on location. Corrected the name of <code>eeew.exe</code> after unpacking. Updated to FreePascal 1.9.4.
0.1.15	15.05.2004	rubyscript2exe-0.1.15.rb or rubyscript2exe-0.1.15.tar.gz	0.1.15.diff	Corrected a bug in <code>--eee-justextract</code> . Changed the behavior of

1. Change Log

				--eee-justextract.
0.1.14	04.05.2004	rubyscript2exe-0.1.14.rb or rubyscript2exe-0.1.14.tar.gz	0.1.14.diff	Corrected a shortcoming concerning the length of the command line. Updated to FreePascal 1.9.2 .
0.1.13	28.04.2004	rubyscript2exe-0.1.13.rb or rubyscript2exe-0.1.13.tar.gz	0.1.13.diff	Added --rubyscript2exe-msvcr71.
0.1.12	24.04.2004	rubyscript2exe-0.1.12.rb or rubyscript2exe-0.1.12.tar.gz	0.1.12.diff	Added --eee-justextract.
0.1.11	26.03.2004	rubyscript2exe-0.1.11.rb or rubyscript2exe-0.1.11.tar.gz	0.1.11.diff	Got rid of an upper limit of 10M for the executable.
0.1.10	16.03.2004	rubyscript2exe-0.1.10.rb or rubyscript2exe-0.1.10.tar.gz	0.1.10.diff	Fixed a bug concerning paths with spaces. (Whose idea was that?..)
0.1.9	16.02.2004	rubyscript2exe-0.1.9.rb or rubyscript2exe-0.1.9.tar.gz	0.1.9.diff	Fixed a serious bug concerning ftools. (Sorry...)
0.1.8	30.01.2004	rubyscript2exe-0.1.8.rb or rubyscript2exe-0.1.8.tar.gz	0.1.8.diff	Fixed a bug concerning the handling of chdir.
0.1.7	08.11.2003	rubyscript2exe-0.1.7.rb or rubyscript2exe-0.1.7.tar.gz	0.1.7.diff	Handling of rbw files added. --rubyscript2exe-ruby added.
0.1.6	31.10.2003	rubyscript2exe-0.1.6.rb or rubyscript2exe-0.1.6.tar.gz	0.1.6.diff	Fixed a bug concerning quoted parameters.
0.1.5	29.10.2003	rubyscript2exe-0.1.5.rb or rubyscript2exe-0.1.5.tar.gz	0.1.5.diff	--rubyscript2exe-rubyw added.
0.1.4	20.10.2003	rubyscript2exe-0.1.4.rb or rubyscript2exe-0.1.4.tar.gz	0.1.4.diff	A problem with file locking under Windows NT has been solved.
0.1.3	19.10.2003	rubyscript2exe-0.1.3.rb or rubyscript2exe-0.1.3.tar.gz	0.1.3.diff	I tested with the latest Pascal program myself, but I distributed an old one. Oops!
0.1.2	18.10.2003	rubyscript2exe-0.1.2.rb or rubyscript2exe-0.1.2.tar.gz	0.1.2.diff	Replaced the call to the external deltree by a call to an internal recursive delete, because in XP (NT?) it's not called deltree but rd.
0.1.1	17.10.2003	rubyscript2exe-0.1.1.rb or rubyscript2exe-0.1.1.tar.gz	0.1.1.diff	Just removed an error message, which was not an error.
0.1	17.10.2003	rubyscript2exe-0.1.rb or rubyscript2exe-0.1.tar.gz	0.1.diff	First release.