

## **RubyWebDialogs - Change Log**

# Table of Contents

<b>RubyWebDialogs.....</b>	<b>1</b>
Change Log.....	1
<b>1. Change Log.....</b>	<b>2</b>

# RubyWebDialogs

## Change Log

Fri Oct 06 19:42:23 UTC 2006  
Erik Veenstra <[rubywebdialogs@erikveen.dds.nl](mailto:rubywebdialogs@erikveen.dds.nl)>

# 1. Change Log

Since version 0.2.0, `rubywebdialogs.rb` can be require'd by the application, so you don't have to install RubyWebDialogs. However, it can still be installed with `"ruby rubywebdialogs.rb"` (the same file). Thus, this file is both a library file and an installation file at the same time!

If you installed RubyWebDialogs, you have to do a `"require 'ev/rwd'"`. If you want to do a `"require 'rubywebdialogs'"` directly, you have to copy it to the current directory (or place it in the `site_lib` directory manually) and do a `"require 'rubywebdialogs'"`.

*(Don't "save link target as..", since that will only give you an HTML file.)*

Version	Date	Download	Diff	Changes
0.2.0	04.06.2005	<a href="#">rubywebdialogs-0.2.0.rb</a> or <a href="#">rubywebdialogs-0.2.0.tar.gz</a> or <a href="#">rubywebdialogs-0.2.0.gem</a>	<a href="#">0.2.0.diff</a>	Added better browser detection on Cygwin. Added mime support for <code>rwd_files/*</code> (hard coded, for now...) RWDialog#serve now stops the application when the application is being wrapped by <b>RubyScript2Exe</b> . Fixed a bug concerning the detection of configuration files. Added <code>Array#rwd_table</code> . Added <code>RWDialog#text</code> . Added <code>RWDialog#timeout</code> . <i>I changed a lot of small other things which are probably not worth mentioning individually, but enhance the total "feel" of RubyWebDialogs.</i>
0.1.2	16.12.2004	<a href="#">rubywebdialogs-0.1.2.rb</a> or <a href="#">rubywebdialogs-0.1.2.tar.gz</a>	<a href="#">0.1.2.diff</a>	Added refresh to <code>&lt;window&gt;</code> . Added width and height to <code>&lt;image&gt;</code> . Added the (experimental) progress bar. Fixed a bug concerning a frozen string <code>(ENV[ "RWDBROWSER" ])</code> . Fixed the handling of spaces in <code>ENV[ "RWDBROWSER" ]</code> under Cygwin.
0.1.1	05.12.2004	<a href="#">rubywebdialogs-0.1.1.rb</a> or <a href="#">rubywebdialogs-0.1.1.tar.gz</a>	<a href="#">0.1.1.diff</a>	Adding the key/values in the configuration file to ENV is only done if ENV doesn't

## 1. Change Log

				<p>already include the key.          Corrected the handling of %1 in ENV[ "RWDBROWSER" ].          Corrected the handling of http://localhost:7701 (no final /).          Renamed the embedded pixel.gif to rwd_pixel.gif.          Removed the definition of the (western) character set in the templates.</p>
0.1.0	28.11.2004	<a href="#">rubywebdialogs-0.1.0.rb</a> or <a href="#">rubywebdialogs-0.1.0.tar.gz</a>	<a href="#">0.1.0.diff</a>	<p>Added browser detection for Linux.          Added theme handling.          Added &lt;panel&gt;.          Added alt to &lt;image&gt;.          Changed the layout of tabs.</p>
0.0.11	03.09.2004	<a href="#">rubywebdialogs-0.0.11.rb</a> or <a href="#">rubywebdialogs-0.0.11.tar.gz</a>	<a href="#">0.0.11.diff</a>	<p>Added a different template for PDA's and the (experimental) detection of PDA's.          Added filename handling for download.</p>
0.0.10	21.08.2004	<a href="#">rubywebdialogs-0.0.10.rb</a> or <a href="#">rubywebdialogs-0.0.10.tar.gz</a>	<a href="#">0.0.10.diff</a>	<p>Session-ids are now stored in cookies, in stead of in hidden form fields.          Added download.</p>
0.0.9	15.05.2004	<a href="#">rubywebdialogs-0.0.9.rb</a> or <a href="#">rubywebdialogs-0.0.9.tar.gz</a>	<a href="#">0.0.9.diff</a>	<p>Default port isn't 1234 anymore, but one in the range 7701-7709.          Created RWDRconnect.          Added gsub(/%port%/, port.to_s) to ENV[ "RWDBROWSER" ].          Changed the call to Hash#rwd_table.</p>
0.0.8	05.05.2004	<a href="#">rubywebdialogs-0.0.8.rb</a> or <a href="#">rubywebdialogs-0.0.8.tar.gz</a>	<a href="#">0.0.8.diff</a>	<p>Added @rwd_call_after_back.</p>
0.0.7	28.04.2004	<a href="#">rubywebdialogs-0.0.7.rb</a> or <a href="#">rubywebdialogs-0.0.7.tar.gz</a>	<a href="#">0.0.7.diff</a>	<p>Corrected some exception handling regarding the IO with the browser.          Added maxlength to text and password.          Added network without authentication.</p>
0.0.6	24.04.2004		<a href="#">0.0.6.diff</a>	

## 1. Change Log

		<a href="#">rubywebdialogs-0.0.6.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.6.tar.gz</a>		Corrected io-handling. Konqueror could kill the application. Changed some layout (window and tabs).
0.0.5	23.04.2004	<a href="#">rubywebdialogs-0.0.5.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.5.tar.gz</a>	<a href="#">0.0.5.diff</a>	Replaced the symlink by a copy in <code>install.rb</code> . It didn't work under Linux.
0.0.4	22.04.2004	<a href="#">rubywebdialogs-0.0.4.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.4.tar.gz</a>	<a href="#">0.0.4.diff</a>	Changed the recently added tab-handling. Corrected some cursor positioning glitches.
0.0.3	21.04.2004	<a href="#">rubywebdialogs-0.0.3.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.3.tar.gz</a>	<a href="#">0.0.3.diff</a>	A minor change in message.
0.0.2	20.04.2004	<a href="#">rubywebdialogs-0.0.2.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.2.tar.gz</a>	<a href="#">0.0.2.diff</a>	Added some tab-handling.
0.0.1	17.04.2004	<a href="#">rubywebdialogs-0.0.1.rb</a> <i>or</i> <a href="#">rubywebdialogs-0.0.1.tar.gz</a>	<a href="#">0.0.1.diff</a>	Alpha release